




Static Screen
/
Parabolic Screen
/
Curved Screen

Static Screen



Curved Screens are applied for separating Solids from process and Wastewater. The curved Screens are robustly built and required the minimum maintenance and attention. The Raw water pumped over a curved, wedge wire Screen plate where separated particles slide down, due to gravity and the screened water leaves the screen via the outlet. The Screen can be equipped with a programmable spray cleaning device in case of wastewater contains fiber like material or Fat. The screen is built with stainless steel wedge wire mesh from 0,25 mm to 1,5 mm to remove any solids above this mesh size.

Static Screen

Salient Features:

- Eco-friendly solution
- No moving parts, no motors
- Low installation costs with no maintenance
- Quiet operation

Applications:

- Municipal Primary Sewage
- Poultry Feather
- Meat (Stock Water / Pen Wash Down)
- Vegetable and Fruit
- Brewery (Spent Grains / Bottle Wash)
- Mineral (Coal Wash / Lime Particulate)
- Forestry (White Water / Chip Wash Water)
- Pulp Thickening / Rejects



Standard Construction:

- SS304 Construction
- Housing in 3 mm Thk Plate
- Wedgewire Screen
- Standard Nozzle as per Class 150

Option

- MSEP, SS316 & Other Material Available
- Enclosure (Cover)
- Customize outlet Connection
- Screw Conveyor
- Rear Spray Nozzle

Register Address: Envifab Equipments

Saffron/1, Shukan-6 Apartment,
Opp. Sciencecity, Sciencecity Road,
Sola, Ahmedabad - 380060

(M) 9426689986

Email: envifabsales@gmail.com

Web: www.envifab.com

Work Address: B -63, Bileshwar Industrial Estate, Part: 2,

Opp. Gujarati Vepari Maha Mandal,
S.P. Ring Road, Odhav,
Ahmedabad: 382415

(M) 9913824579



Envifab

E Q U I P M E N T S

Saffron/1, Shukan-6 Apartment,
Opp. Sciencecity, Sciencecity Road,
Sola, Ahmedabad – 380060

envifabsales@gmail.com